


4668
4669
4670
4671
4672
4673
4674
4675
4677
4678
4679
4680
4681
4682
4683
4684
4685
4686
4687
4688
4689
4690

J. Bussiere Feng. Mitochondrial electron transport is a key determinant of life span in <i>Caenorhabditis elegans</i> . <i>Dev Cell</i> . 2001. 1:633-44
M. A. Menninger Holbrook. Erythromycin slows aging of <i>Saccharomyces cerevisiae</i> . <i>J Gerontol A Biol Sci Med Sci</i> . 2002. 57:B29-36
R. Arking. Gene expression and regulation in the extended longevity phenotypes of <i>Drosophila</i> . <i>Ann N Y Acad Sci</i> . 2001. 928:157-67
H. Tang Ruan. High-quality life extension by the enzyme peptide methionine sulfoxide reductase. <i>Proc Natl Acad Sci U S A</i> . 2002. 99:2748-53
S. J. Aaron Hauck. Antioxidant enzymes, free-radical damage, and response to paraquat in liver and kidney of long-living growth hormone receptor/binding protein gene-disrupted mice. <i>Horm Metab Res</i> . 2002. 34:481-6
V. Girardot Monnier. Control of oxidative stress resistance by IP3 kinase in <i>Drosophila melanogaster</i> . <i>Free Radic Biol Med</i> . 2002. 33:1250-9
K. Hu Kirby. RNA interference-mediated silencing of Sod2 in <i>Drosophila</i> leads to early adult-onset mortality and elevated endogenous oxidative stress. <i>Proc Natl Acad Sci U S A</i> . 2002. 99:16162-7
S. Yasuda Yanase. Adaptive responses to oxidative damage in three mutants of <i>Caenorhabditis elegans</i> (age-1, mev-1 and daf-16) that affect life span. <i>Mech Ageing Dev</i> . 2002. 123:1579-87
R. J. Bayne Mockett. Ectopic expression of catalase in <i>Drosophila</i> mitochondria increases stress resistance but not longevity. <i>Free Radic Biol Med</i> . 2003. 34:207-17
M. Serras Morey. Halving the selenophosphate synthetase gene dose confers hypersensitivity to oxidative stress in <i>Drosophila melanogaster</i> . <i>FEBS Lett</i> . 2003. 534:111-4
S. N. Sohal Radyuk. Thioredoxin peroxidases can foster cytoprotection or cell death in response to different stressors: over- and under-expression of thioredoxin peroxidase in <i>Drosophila</i> cells. <i>Biochem J</i> . 2003. 371:743-52
J. H. Blackwell An. SKN-1 links <i>C. elegans</i> mesendodermal specification to a conserved oxidative stress response. <i>Genes Dev</i> . 2003. 17:1882-93
S. Q. Xu Cao. [Screening for lifespan-extension mutants with paraquat in <i>Arabidopsis</i> ]. <i>Shi Yan Sheng Wu Xue Bao</i> . 2003. 36:233-7
F. Hu Missirlis. Compartment-specific protection of iron-sulfur proteins by superoxide dismutase. <i>J Biol Chem</i> . 2003. 278:47365-9
J. Lemire Guo. The ubiquinone-binding site of the <i>Saccharomyces cerevisiae</i> succinate-ubiquinone oxidoreductase is a source of superoxide. <i>J Biol Chem</i> . 2003. 278:47629-35
M. M. Cook-Wiens Goddeeris. Delayed behavioural aging and altered mortality in <i>Drosophila</i> beta integrin mutants. <i>Aging Cell</i> . 2003. 2:257-64
J. N. Gill Sampayo. Oxidative stress and aging--the use of superoxide dismutase/catalase mimetics to extend lifespan. <i>Biochem Soc Trans</i> . 2003. 31:1305-7
J. N. Olsen Sampayo. Oxidative stress in <i>Caenorhabditis elegans</i> : protective effects of superoxide dismutase/catalase mimetics. <i>Aging Cell</i> . 2003. 2:319-26
A. Paul Duttaroy. A Sod2 null mutation confers severely reduced adult life span in <i>Drosophila</i> . <i>Genetics</i> . 2003. 165:2295-9
G. Samson Morrow. Overexpression of the small mitochondrial Hsp22 extends <i>Drosophila</i> life span and increases resistance to oxidative stress. <i>Faseb j</i> . 2004. 18:598-9
M. Matsumoto Fujii. Mutations in chemosensory cilia cause resistance to paraquat in nematode <i>Caenorhabditis elegans</i> . <i>J Biol Chem</i> . 2004. 279:20277-82
T. Soustelle Rival. Decreasing glutamate buffering capacity triggers oxidative stress and neuropil degeneration in the <i>Drosophila</i> brain. <i>Curr Biol</i> . 2004. 14:599-605

Increased protection from reactive oxygen species (ROS) is believed to increase life span. However, it has not been clear
Life span was measured by counting budding cycles in cohorts of yeast cells treated with erythromycin, paraquat, or gen
We used both selection and single-gene mutagenesis studies to identify the mechanisms underlying the genetic control o
Cumulative oxidative damages to cell constituents are considered to contribute to aging and age-related diseases. The e
Numerous studies have shown that the lifespan can be extended by caloric restriction or by altering the growth hormone
Oxidative damage is thought to be a major causal factor of aging, and is implicated in several human pathologies such as
Oxidative stress has been widely implicated as an important factor in the aging process. Because mitochondrial respirati
Oxidative damage shortens the life span of the nematode <i>Caenorhabditis elegans</i> ( <i>C. elegans</i> ), even in an age-1 mutant t
The goal of this study was to test the hypothesis that the rate of mitochondrial oxidant production governs the aging pro
Several lines of evidence indicate that selenoproteins mainly act as cellular antioxidants. Here, we test this idea compari
Recently, we identified a set of five genes constituting the peroxiredoxin gene family in <i>Drosophila melanogaster</i> [Radyu
During the earliest stages of <i>Caenorhabditis elegans</i> embryogenesis, the transcription factor SKN-1 initiates developmen
Genetic analyses of lifespan in model animals have revealed that extended lifespans are closely associated to increased r
Iron and oxygen are essential but potentially toxic constituents of most organisms, and their transport is meticulously reg
The mitochondrial succinate dehydrogenase (SDH) is a tetrameric iron-sulfur flavoprotein of the Krebs cycle and of the re
The genetic basis for aging is being intensely investigated in a variety of model systems. Much of the focus in <i>Drosophila</i>
To date, more than 40 genes have been identified in the nematode <i>Caenorhabditis elegans</i> , which, when mutated, lead t
The lifespan of <i>Caenorhabditis elegans</i> can be extended by the administration of synthetic superoxide dismutase/ catalas
A null mutation for the Sod2 gene, Sod2n283, was obtained in <i>Drosophila melanogaster</i> . Homozygous Sod2 null (Sodn28
Heat shock proteins (Hsp) are involved in protein folding, transport and stress resistance. Studies reporting an increased
The relationship between oxidative stress and longevity is a matter of concern in various organisms. We isolated mutant
L-glutamate is both the major brain excitatory neurotransmitter and a potent neurotoxin in mammals. Glutamate excitot

Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant







4692
4693
4694
4695
4696
4697
4698
4699
4700
4701
4702
4703
4704
4705
4706
4707
4708
4709
4710
4711
4712

M. Matthijssens Keaney. Superoxide dismutase mimetics elevate superoxide dismutase activity in vivo but do not retard aging in the nematode <i>Caenorhabditis elegans</i> . <i>Free Radic Biol Med</i> . 2004. 37:239-50
F. Monnier Girardot. Genome wide analysis of common and specific stress responses in adult <i>Drosophila melanogaster</i> . <i>BMC Genomics</i> . 2004. 5:74
S. Millen Jarolim. A novel assay for replicative lifespan in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Res</i> . 2004. 5:169-77
D. Allikian Bhole. Doxycycline-regulated over-expression of hsp22 has negative effects on stress resistance and life span in adult <i>Drosophila melanogaster</i> . <i>Mech Ageing Dev</i> . 2004. 125:651-63
L. Rio Chen. Regulatory role of dADAR in ROS metabolism in <i>Drosophila</i> CNS. <i>Brain Res Mol Brain Res</i> . 2004. 131:93-100
A. B. Murakami Salmon. Fibroblast cell lines from young adult mice of long-lived mutant strains are resistant to multiple forms of stress. <i>Am J Physiol Endocrinol Metab</i> . 2005. 289:E23-9
M. Holzenberger. The role of insulin-like signalling in the regulation of ageing. <i>Horm Res</i> . 2004. 62 Suppl 1:89-92
M. Senoo-Matsuda Kondo. Effect of oxidative stress on translocation of DAF-16 in oxygen-sensitive mutants, <i>mev-1</i> and <i>gas-1</i> of <i>Caenorhabditis elegans</i> . <i>Mech Ageing Dev</i> . 2005. 126:637-41
M. Yanase Kondo. The p38 signal transduction pathway participates in the oxidative stress-mediated translocation of DAF-16 to <i>Caenorhabditis elegans</i> nuclei. <i>Mech Ageing Dev</i> . 2005. 126:642-7
E. L. Tuck Arkblad. A <i>Caenorhabditis elegans</i> mutant lacking functional nicotinamide nucleotide transhydrogenase displays increased sensitivity to oxidative stress. <i>Free Radic Biol Med</i> . 2005. 38:1518-25
W. S. Weinstein Neckameyer. Stress affects dopaminergic signaling pathways in <i>Drosophila melanogaster</i> . <i>Stress</i> . 2005. 8:117-31
J. Mutcherson Zheng. Calorie restriction delays lipid oxidative damage in <i>Drosophila melanogaster</i> . <i>Aging Cell</i> . 2005. 4:209-16
Y. W. Sanchez-Blanco Fridell. Targeted expression of the human uncoupling protein 2 (hUCP2) to adult neurons extends life span in the fly. <i>Cell Metab</i> . 2005. 1:145-52
O. Pardo Tirosh. Long-lived $\alpha$ MUPA transgenic mice show reduced SOD2 expression, enhanced apoptosis and reduced susceptibility to the carcinogen dimethylhydrazine. <i>Mech Ageing Dev</i> . 2005. 126:1262-73
W. C. Radyuk Orr. Overexpression of glutamate-cysteine ligase extends life span in <i>Drosophila melanogaster</i> . <i>J Biol Chem</i> . 2005. 280:37331-8
S. Engle Ayyadevara. Lifespan and stress resistance of <i>Caenorhabditis elegans</i> are increased by expression of glutathione transferases capable of metabolizing the lipid peroxidation product 4-hydroxynonenal. <i>Aging Cell</i> . 2005. 4:257-71
M. Clark Yamamoto. Regulation of oxidative stress by the anti-aging hormone <i>klotho</i> . <i>J Biol Chem</i> . 2005. 280:38029-34
M. Tanaka Fujii. Uncoupling of longevity and paraquat resistance in mutants of the nematode <i>Caenorhabditis elegans</i> . <i>Biosci Biotechnol Biochem</i> . 2005. 69:2015-8
S. Dandapat Ayyadevara. Lifespan extension in hypomorphic <i>daf-2</i> mutants of <i>Caenorhabditis elegans</i> is partially mediated by glutathione transferase <i>CeGSTP2-2</i> . <i>Aging Cell</i> . 2005. 4:299-307
P. Hurlbut Mourikis. Enigma, a mitochondrial protein affecting lifespan and oxidative stress response in <i>Drosophila</i> . <i>Proc Natl Acad Sci U S A</i> . 2006. 103:1307-12
T. West Magwere. The effects of exogenous antioxidants on lifespan and oxidative stress resistance in <i>Drosophila melanogaster</i> . <i>Mech Ageing Dev</i> . 2006. 127:356-70

According to the oxidative damage theory a primary cause of aging is the accrual of molecular damage from reactive oxy
BACKGROUND: During their life, multicellular organisms are challenged with oxidative stress. It is generated by several r
The replicative lifespan of <i>Saccharomyces cerevisiae</i> is determined by both genetic and environmental factors. Many of t
<i>Drosophila hsp22</i> is a member of the small heat shock proteins family (shsps). The hsp22 is expressed in a tissue-general
Pre-mRNA adenosine deaminase (ADAR) is involved in many physiological processes by either directly converting adenos
Previous studies have shown that dermal fibroblast cell lines derived from young adult mice of the long-lived Snell dwarf
Inactivation of insulin-like growth factor I (IGF-I) signalling pathways have been shown to extend lifespans in various low
Mutations in the <i>mev-1</i> and <i>gas-1</i> genes of the nematode <i>Caenorhabditis elegans</i> render animals hypersensitive to oxyge
Much attention has focused on the insulin-like signaling pathway in <i>Caenorhabditis elegans</i> because of its pivotal role in
Proton-translocating mitochondrial nicotinamide nucleotide transhydrogenase (NNT) was investigated regarding its phys
Behaviors modulated by dopamine appear to be conserved across species. In the model system <i>Drosophila melanogaste</i>
The oxidative stress hypothesis predicts that the accumulation of oxidative damage to a variety of macromolecules is the
The oxidative stress hypothesis of aging predicts that a reduction in the generation of mitochondrial reactive oxygen spe
Calorie restriction (CR) extends the life span of various species through mechanisms that are as yet unclear. Recently, we
The hypothesis that overexpression of glutamate-cysteine ligase (GCL), which catalyzes the rate-limiting reaction in de no
<i>Caenorhabditis elegans</i> expresses a glutathione transferase (GST) belonging to the Pi class, for which we propose the nar
<i>klotho</i> is an aging suppressor gene and extends life span when overexpressed in mice. <i>Klotho</i> protein was recently demo
To analyze the relationship between resistance to oxidative stress and longevity, we isolated three novel paraquat-resist
Electrophilic stress caused by lipid peroxidation products such as 4-hydroxynonenal (4-HNE) and/or related compounds r
Deregulation of energy metabolism by external interventions or mutations in metabolic genes can extend lifespan in a w
We used the fruit fly <i>Drosophila melanogaster</i> to test the effects of feeding the superoxide dismutase (SOD) mimetic dru

Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant
Not Relevant